IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Express Mail No.: EL627511287US
Applicant(s): Jari VALLSTROM

FILING DATE: Herewith

ART UNIT:

TITLE: SMART CARD OF A TERMINAL, A TERMINAL USING A SMART CARD, AND AN IMPROVED METHOD FOR IDENTIFYING A USER BY

MEANS OF A SMART CARD

ATTORNEY DOCKET NO.: 413-010736-US (PAR)

Commissioner of Patents Washington, D.C. 20231

PRELIMINARY AMENDMENT

Dear Sir:

Please amend the above-identified, enclosed patent application as follows:

IN THE SPECIFICATION

In the specification on page 8 after the heading "Claims" please insert the following:

What is claimed is:

IN THE CLAIMS

Please amend Claims 10 and 17 as rewritten below:

10. (Amended) A SIM card according to claim 1 wherein said SIM card is arranged so as to be used in a terminal of a network used especially by the authorities.

17. (Amended) A method according to claim 14 wherein if the person trying to activate the terminal enters more than a predetermined number of times a wrong code as a response to the said code requests, the user must enter a personal PUK code before user identification can be continued.

REMARKS

In accordance with 37 C.F.R. §1.121 (as amended on 11/7/2000) the rewritten claim(s) above are shown on separate page(s) marked up to show all the changes relative to the previous version of that section.

Date

Respectfully submitted,

Clarence A. Green, Reg. No.: 24,622

ence A. Green, Reg. No.: 24,622

Perman & Green, LLP

425 Post Road

Fairfield, CT 06430

(203) 259-1800

Customer No.: 2512

Application entitled: SMART CARD OF A TERMINAL, A
TERMINAL USING A SMART CARD, AND AN IMPROVED METHOD FOR
IDENTIFYING A USER BY MEANS OF A SMART CARD

MARKED UP CLAIM(S)

- 10. (Amended) A SIM card according to the preceding claime 1 wherein said SIM card is arranged so as to be used in a terminal of a network used especially by the authorities.
- 17. (Amended) A method according to claims 14—to 16 wherein if the person trying to activate the terminal enters more than a predetermined number of times a wrong code as a response to the said code requests, the user must enter a personal PUK code before user identification can be continued.